

Autentyczność żywności

– wykrywanie zafałszowań produktów spożywczych

Wojciech Sawicki

LITERATURA:

- [1] Abad-García B., S. Garmón-Lobato, L.A. Berrueta, B. Gallo, F. Vicente. 2012. „On line characterization of 58 phenolic compounds in Citrus fruit juices from Spanish cultivars by high-performance liquid chromatography with photodiode-array detection coupled to electrospray ionization triple quadrupole mass spectrometry”. *Talanta* 99 : 213-24. DOI: 10.1016/j.talanta.2012.05.042.
- [2] Acuña G., E. Ortiz-Riaño, J. Vinagre, L. García, A.M. Kettlun, J. Puente, L. Collados, M.A. Valenzuela. 2008. „Application of capillary electrophoresis for the identification of Atlantic salmon and rainbow trout under raw and heat treatment”. *Journal of Capillary Electrophoresis and Microchip Technology* 10 (5-6) : 93-9.
- [3] Addeo F., R. Pizzano, M.A. Nicolai, S. Caira, L. Chianese. 2009. „Fast isoelectric focusing and antipeptide antibodies for detecting bovine casein in adulterated water buffalo milk and derived mozzarella cheese”. *Journal of Agricultural and Food Chemistry* 57 (21) : 10063-10066. DOI:10.1021/jf9020009.
- [4] Agrimonti C., A. Pirondini, M. Marmiroli, N. Marmiroli. 2015. „A quadruplex PCR (qxPCR) assay for adulteration in dairy products”. *Food Chemistry* 187 : 58-64. DOI:10.1016/j.foodchem.2015.04.017.
- [5] Aiello D., C. Siciliano, F. Mazzotti, L. Di Donna, C.M. Athanassopoulos, A. Napoli. 2020. „A rapid MALDI MS/MS based method for assessing saffron (*Crocus sativus* L.) adulteration”. *Food Chemistry* 307 : 125527. DOI: 10.1016/j.foodchem.2019.125527.
- [6] Akimowicz M., J. Bucka-Kolendo. 2020. „MALDI-TOF MS – application in food microbiology”. *Acta Biochimica Polonica* 67 (3) : 327-332. DOI: 10.18388/abp.2020_5380.
- [7] Allmann M., U. Candrian, C., Höfelein, J. Lüthy. 1993. „Polymerase chain reaction (PCR): a possible alternative to immunochemical methods assuring safety and quality of food. Detection of wheat contamination in non-wheat food products”. *Zeitschrift für Lebensmittel-Untersuchung und -Forschung* 196 (3) : 248-251. DOI:10.1007/BF01202741.
- [8] Ambrose A., B.K. Cho. 2014. „A review of technologies for detection and measurement of adulterants in cereals and cereal products”. *Journal of Biosystems Engineering* 39 (4) : 357-365. DOI:10.5307/JBE.2014.39.4.357.
- [9] Amir RM, F.M. Anjum, M.I. Khan, M.R. Khan, I. Pasha, M. Nadeem. 2013. „Application of Fourier transform infrared (FTIR) spectroscopy for the identification of wheat varieties”. *Journal of Food Science and Technology* 50 (5) : 1018-1023. DOI: 10.1007/s13197-011-0424-y.
- [10] Anklam E., F. Gadani, P. Heinze, H. Pijnenburg, G. Van Den Eede. 2002. „Analytical methods for detection and determination of genetically modified organisms in agricultural crops and plant-derived food products”. *European Food Research and Technology* 214 : 3-26 DOI:10.1007/s002170100415.
- [11] Arlorio M., J.D. Coisson, E. Cereti, F. Travaglia, M. Papasso, A. Martelli. 2003. „Polymerase chain reaction (PCR) of puroindoline b and ribosomal/puroindoline b multiplex PCR for the detection of common wheat (*Triticum aestivum*) in Italian pasta”. *European Food Research and Technologies* 216 : 253-258.
- [12] Armani A., A. Giusti, L. Castigliero, A. Rossi, L. Tinacci, D. Gianfaldoni, A. Guidi. 2014. „Pentaplex PCR as screening assay for jellyfish species identification in food products”. *Journal of Agricultural and Food Chemistry* 62 (50) : 12134-12143. DOI:10.1021/jf504654b.
- [13] Asensio L., I. Gonzalez, T. Garcia, R. Martin. 2007. „Determination of food authenticity by enzyme-linked immunosorbent assay (ELISA)”. *Food Control* 19 (1) : 1-8. DOI: 10.1016/j.foodcont.2007.02.01.
- [14] Berrini A., V. Tepedino, V. Borromeo, C. Secchi. 2005. „Isoelectric focusing identification of four freshwater fish commercially labeled »perch«”. *Journal of AOAC International* 88 (2) : 670-672.
- [15] Bertram C.H., H. J. Andersen. 2004. „Applications of NMR in meat science”. *Annual Reports on NMR Spectroscopy* 53 : 157-202. DOI: 10.1016/S0066-4103(04)53003-X.
- [16] Biswas K. 2013. „Authentication of herbal medicinal plant – *Boerhavia diffusa* L. using PCR-RFLP”. *Current Trends in Biotechnology and Pharmacy* 7 (3) : 725-731.
- [17] Brasher M.D.R., R. Thorpe. 1998. „Isoelectric Focusing”. W *Encyclopedia of Immunology (Second Edition)*, 1510-1514. London: Elsevier. DOI:10.1006/rwei.1999.0386.
- [18] Brian J. 2018. „Food fraud: protecting European consumers through effective deterrence”. *European Public Law* 24 (1) : 147-168.
- [19] Cabañero A.I., J.L. Recio, M. Rupérez. 2006. „Liquid chromatography coupled to isotope ratio mass spectrometry: a new perspective on honey adulteration detection”. *Journal of Agricultural and Food Chemistry* 54 (26), 9719-9727. DOI: 10.1021/jf062067x
- [20] Calvano C.D., C.D. Ceglie, L. D'Accolti, C.G. Zambonin. 2012. „MALDI-TOF mass spectrometry detection of extra-virgin olive oil adulteration with hazelnut oil by analysis of phospholipids using an ionic liquid as matrix and extraction solvent”. *Food Chemistry* 134 (2) : 1192-1198. DOI: 10.1016/j.foodchem.2012.02.154.
- [21] Camin F., R. Wehrens, D. Bertoldi, L. Bontempo, L. Ziller, M. Perini, G. Nicolini, M. Nocetti, R. Larcher. 2012. „H, C, N and S stable isotopes and mineral profiles to objectively guarantee the authenticity of grated hard cheeses”. *Analytica Chimica Acta* 711 : 54-9. DOI: 10.1016/j.aca.2011.10.047.
- [22] Čapla J., P. Zajác, J. Čurlej, E. Belej, M. Kročko, M. Bobko, L. Benešová, S. Jakabová, T. Vlčko. 2020. „Procedures for the identification and detection of adulteration of fish and meat products”. *Potravinárstvo Slovak Journal of Food Sciences* 14 : 978-994. DOI:10.5219/1474.

- [23] Castritius S., M. Geier, G. Jochims, U. Stahl, D. Harms. 2012. „Rapid determination of the attenuation limit of beer using middle-infrared (MIR) spectroscopy and a multivariate model”. *Journal of Agricultural and Food Chemistry* 60 (25) : 6341-6348. DOI: 10.1021/jf3006382.
- [24] Catala Á.M., R. Puchades. 2008. „Enzymic technique: enzyme-linked immunosorbent assay (ELISA)”. W *Modern techniques for food authentication*, 477-520. Burlington: Academic Press.
- [25] Chambery A., G. del Monaco, A. Di Maro, A. Parente. 2009. „Peptide fingerprint of high quality Campania white wines by MALDI-TOF mass spectrometry”. *Food Chemistry* 113, 4 : 1283-1289. DOI: /10.1016/j.foodchem.2008.08.031.
- [26] Chen L., X. Xiaofeng, Y. Zhihua, Z. Jinghui, C. Fang, Z. Jing. 2011. „Determination of Chinese honey adulterated with high fructose corn syrup by near infrared spectroscopy”. *Food Chemistry* 128 (4) : 1110-1114. DOI: 10.1016/j.foodchem.2010.10.027.
- [27] Chen R.K., L.W. Chang, Y.Y. Chung, M.H. Lee, Y.C. Ling. 2004. „Quantification of cow milk adulteration in goat milk using high-performance liquid chromatography with electrospray ionization mass spectrometry”. *Rapid Communications in Mass Spectrometry* 18 (10) : 1167-1171. DOI:10.1002/rcm.1460. PMID: 15150843.
- [28] Chen X., L. Lu, X. Xiong, X. Xiong, Y. Liu 2020. „Development of a real-time PCR assay for the identification and quantification of bovine ingredient in processed meat products”. *Scientific Reports* 10 : 2052. DOI:10.1038/s41598-020-59010-6.
- [29] Cieřlik E., A. Niedospial, B. Mickowska. 2008. „Wykorzystanie elektroforezy kapilarnej w analizie żywności”. *Żywność Nauka Technologia Jakość* 15 (2) : 5-14.
- [30] Cocchi M., G. Foca, M. Lucisano, A. Marchetti, M.A. Pagani, L. Tassi, A. Ulrici. 2004. „Classification of cereal flours by chemometric analysis of MIR spectra”. *Journal of Agricultural and Food Chemistry* 52 (5) : 1062-1067. DOI: 10.1021/jf034441o.
- [31] Cramer R. 2016. „Advances in MALDI and laser-induced soft ionization mass spectrometry”. 263-277. Cham: Springer. DOI:10.1007/978-3-319-04819-2_14
- [32] Creydt M., M. Fischer. 2020. „Food authentication in real life: How to link nontargeted approaches with routine analytics?” *Electrophoresis* 20 (41) : 1665-1679, DOI: 10.1002/elps.202000030.
- [33] Cristea G., A. Dehelean, C. Voica, I. Feher, R. Puscas, D. A. Magdas. 2021. „Isotopic and elemental analysis of apple and orange juice by isotope ratio mass spectrometry (IRMS) and inductively coupled plasma – mass spectrometry (ICP-MS)”. *Analytical Letters* 54 (1-2) : 212-226. DOI: 10.1080/00032719.2020.1743717
- [34] Dalsecco L.S., R.M. Palhares, P.C. Oliveira, L.V. Teixeira, M.G. Drummond, D. de Oliveira. 2018. „A fast and reliable Real-Time PCR method for detection of ten animal species in meat products”. *Journal of Food Science* 83 (2) : 258-265. DOI:10.1111/1750-3841.14001.
- [35] de Oliveira Mendes T., B.L.S. Porto, M.J.V. Bell, Í.T. Perrone, M.A.L. de Oliveira. 2016. „Capillary zone electrophoresis for fatty acids with chemometrics for the determination of milk adulteration by whey addition”. *Food Chemistry* 213 : 647-653. DOI: 10.1016/j.foodchem.2016.07.035.
- [36] Demeke T., G.R. Jenkins. 2010. „Influence of DNA extraction methods, PCR inhibitors and quantification methods on real-time PCR assay of biotechnology-derived traits”. *Analytical and Bioanalytical Chemistry* 396 (6) : 1977-1990. DOI:10.1007/s00216-009-3150-9.
- [37] Di Anibal C.V., I. Ruisánchez, M. Fernández, R. Forteza, V. Cerdà, M. Pilar Callao. 2012. „Standardization of UV-visible data in a food adulteration classification problem”. *Food Chemistry* 134 (4) : 2326-2331. DOI: 10.1016/j.foodchem.2012.03.100.
- [38] Di Stefano V., G. Avellone, D. Bongiorno, V. Cunsolo, V. Muccilli, S. Sforza, A. Dossena, L. Drahos, K. Vékey. 2012. „Applications of liquid chromatography-mass spectrometry for food analysis”. *Journal of Chromatography A* 1259 : 74-85. DOI: 10.1016/j.chroma.2012.04.023.
- [39] Ding H.B., R.J. Xu. 2000. „Near-infrared spectroscopic technique for detection of beef hamburger adulteration”. *Journal of Agricultural and Food Chemistry* 48 (6) : 2193-2198. DOI: 10.1021/jf9907182.
- [40] Dong H., K. Xiao Y. Xian. 2017. „Isotope ratio mass spectrometry coupled to element analyzer and liquid chromatography to identify commercial honeys of various botanical types”. *Food Analytical Methods* 10 : 2755-2763. DOI: 10.1007/s12161-017-0842-1.
- [41] Drivelos S.A., G.A. Constantinos. 2012. „Multi-element and multi-isotope-ratio analysis to determine the geographical origin of foods in the European Union”. *TrAC Trends in Analytical Chemistry* 40 : 38-51. DOI: 10.1016/j.trac.2012.08.003.
- [42] Ellis D.I., D. Broadhurst, S.J. Clarke, R. 2005. „Goodacre rapid identification of closely related muscle foods by vibrational spectroscopy and machine learning”. *Analyst* 130 (12) : 1648-1654. DOI: 10.1039/b511484e.
- [43] England P., W. Tang, M. Kostrzewa, V. Shahrezaei, G. Larrouy-Maumus. 2020. „Discrimination of bovine milk from non-dairy milk by lipids fingerprinting using routine matrix-assisted laser desorption ionization mass spectrometry”. *Scientific Reports* 10 (1) : 5160. DOI: 10.1038/s41598-020-62113-9.
- [44] Ermolli M., A. Fantozzi, M. Marini, D. Scotti, B. Balla, S. Hoffmann, M. Querci, C. Paoletti, G. Van den Eede. 2006. „Food safety: screening tests used to detect and quantify GMO proteins”. *Accreditation and Quality Assurance* 11 : 55-57. DOI:10.1007/s00769-005-0027-2.
- [45] Esteve-Romero J.S., I.M. Yman, A. Bossi, P.G. Righetti. 1996. „Fish species identification by isoelectric focusing of parvalbumins in immobilized pH gradients”. *Electrophoresis* 7 (8) : 1380-1385. DOI:10.1002/elps.1150170817.
- [46] Fornal E., M. Montowska. 2019. „Species-specific peptide-based liquid chromatography-mass spectrometry monitoring of three poultry species in processed meat products”. *Food Chemistry* 283 : 489-498. DOI:10.1016/j.foodchem.2019.01.074G.
- [47] Gajewski K.G., Y.T. Chen, Y.H. Hsieh. 2009. „Production and characterization of monoclonal antibodies specific to pangasius catfish, basa, and tra”. *Journal of Food Science* 74 (3) : C241-C247. DOI:10.1111/j.1750-3841.2009.01097.x.

- [48] Gallardo J.M., C.G. Sotelo, C. Pineiro, R.I. Perez-Martin. 1995. „Use of capillary zone electrophoresis for fish species identification. Differentiation of flatfish species”. *Journal of Agricultural and Food Chemistry* 43 (5) : 1238-1244. DOI:10.1021/jf00053a022.
- [49] Garber E., C.Y. Cho, P. Rallabhandi, W.L. Nowatzke, K.G. Oliver, K.V. Venkateswaran, N. Venkateswaran. 2020. „Multi-laboratory validation of the xMAP-food allergen detection assay: A multiplex, antibody-based assay for the simultaneous detection of food allergens”. *PLoS One* 15 (7) : e0234899. DOI:10.1371/journal.pone.0234899.
- [50] Garimberti E., S. Tosi. 2010. „Fluorescence in situ hybridization (FISH), basic principles and methodology”. *Methods in Molecular Biology* 659 : 3-20. DOI:10.1007/978-1-60761-789-1_1.
- [51] Goluch Z. 2020. „Zafalszowania suplementów diety a bezpieczeństwo zdrowotne konsumentów”. W *Środowiskowe i genetyczne uwarunkowania zdrowia ludzi i zwierząt*. 121-136. Wydawnictwo Uczelniane Zachodniopomorskiego Uniwersytetu Technologicznego w Szczecinie.
- [52] Gryson N. 2010. „Effect of food processing on plant DNA degradation and PCR-based GMO analysis: a review”. *Analytical and Bioanalytical Chemistry* 396 (6) : 2003-2022. DOI:10.1007/s00216-009-3343-2.
- [53] Gupta R., D.N. Rank, C.G. Joshi. 2012. „Identification and differentiation of cattle and buffalo processed meat by duplex-PCR”. *Buffalo Bulletin* 31 (1) : 6-11.
- [54] Haider N., I. Nabulsi, B. Al-Safadi. 2012. „Identification of meat species by PCR-RFLP of the mitochondrial COI gene”. *Meat Science* 90 (2) : 490-493. DOI:10.1016/j.meatsci.2011.09.013.
- [55] Harrison S.M., F.J., Monahan, A. Zazzo, B. Bahar, A.P. Moloney, C.M. Scrimgeour, O.Schmidt. 2007. „Three-dimensional growth of bovine hoof as recorded by carbon stable isotope ratios”. *Rapid Communications in Mass Spectrometry* 21 (24) : 3971-3976. DOI: 10.1002/rcm.3309.
- [56] Hilario E. 2007. „Overview of hybridization and detection techniques”. *Methods in Molecular Biology* 353, 27-38. DOI:10.1385/1-59745-229-7:27.
- [57] Holst-Jensen A., S.B. Rønning, A. Løvseth, K.G. Berdal. 2003. „PCR technology for screening and quantification of genetically modified organisms (GMOs)”. *Analytical and Bioanalytical Chemistry* 375 (8) : 985-993. DOI:10.1007/s00216-003-1767-7.
- [58] Hong E., S.Y. Lee, J.Y. Jeong, J.M. Park, B.H. Kim, K. Kwon, H.S. Chun. 2017. „Modern analytical methods for the detection of food fraud and adulteration by food category”. *Journal of the Science of Food and Agriculture* 97 (12), 3877-3896. DOI: 10.1002/jsfa.8364.
- [59] Hossain M.A.M., M.E. Ali, S.B. Hamid, Asing, S. Mustafa, M.N.M. Desa, I.S. Zaidul. 2016. „Double gene targeting multiplex polymerase chain reaction-restriction fragment length polymorphism assay discriminates beef, buffalo, and pork substitution in frankfurter products”. *Journal of Agricultural and Food Chemistry* 64 (32) : 6343-6354. DOI:10.1021/acs.jafc.6b02224.
- [60] Huang Y.C., S.S. Jeng., H.M. Chen., D.F. Hwang. 2008. „Identification of nine species of moray eel by SDS-PAGE”. *The Raffles Bulletin of Zoology* 19 : 123-129.
- [61] Ibáñez C., T. Acunha, A. Valdés, V. García-Cañas, A. Cifuentes, C. Simó. 2016. „Capillary Electrophoresis in food and foodomics”. *Methods in Molecular Biology* 1483 : 471-507. DOI: 10.1007/978-1-4939-6403-1_22.
- [62] Iwobi A., I. Huber, U. Busch. 2012. „The application of PCR-based methods in food control agencies – a review”. W *Polymerase Chain Reaction*. 173-194. Rijeka: InTech
- [63] Jezek J., M. Suhaj. 2001. „Application of capillary isotachopheresis for fruit juice authentication”. *Journal of Chromatography A* 916 (1-2) : 185-9. DOI: 10.1016/s0021-9673(00)01078-5.
- [64] Jiang H., Q. Chen. 2019. „Determination of adulteration content in extra virgin olive oil using FT-NIR spectroscopy combined with the BOSS-PLS algorithm”. *Molecules* 24 (11) : 2134. DOI: 10.3390/molecules24112134.
- [65] Kamruzzaman M., D.W. Sun, G. ElMasry, P. Allen. 2013. „Fast detection and visualization of minced lamb meat adulteration using NIR hyperspectral imaging and multivariate image analysis”. *Talanta* 103 : 130-136. DOI: 10.1016/j.talanta.2012.10.020.
- [66] Ke X., J. Zhang, S. Lai, Q. Chen, Y. Zhang, Y. Jiang, W. Mo, Y. Ren. 2017. „Quantitative analysis of cow whole milk and whey powder adulteration percentage in goat and sheep milk products by isotopic dilution-ultra-high performance liquid chromatography-tandem mass spectrometry”. *Analytical and Bioanalytical Chemistry* 409 : 213-224. DOI:10.1007/s00216-016-9987-9.
- [67] Kim J., Y. Jung, Y.S. Bong, K.S. Lee, G.S. Hwang. 2012. „Determination of the geographical origin of kimchi by ¹H NMR-based metabolite profiling”. *Bioscience, Biotechnology, and Biochemistry* 76 (9) : 1752-1757. DOI:10.1271/bbb.120356.
- [68] Kim M.J., Y.M. Lee, S.M. Suh, H.Y. Kim. 2020. „Species identification of Red Deer (*Cervus elaphus*), Roe Deer (*Capreolus capreolus*), and Water Deer (*Hydropotes inermis*) using capillary electrophoresis-based multiplex PCR”. *Foods* 9 (8) : 982. DOI: 10.3390/foods9080982.
- [69] Kjaersgård I.V., F. Jessen. 2003. „Proteome analysis elucidating post-mortem changes in cod (*Gadus morhua*) muscle proteins”. *Journal of Agricultural and Food Chemistry* 51 (14) : 3985-3991. DOI:10.1021/jf0340097.
- [70] Kołakowski E. 2005. „Enzymy i ich wykorzystanie w modyfikacji białek żywnościowych”. W *Enzymatyczna modyfikacja składników żywności*. 31-100. Wydawnictwo Akademii Rolniczej w Szczecinie.
- [71] Konstantinou G.N. 2017. „Enzyme-Linked Immunosorbent Assay (ELISA)”. W *Methods in molecular biology*. 1592 : 79-94. Clifton, N.J: Springer Science+Business Media. DOI:10.1007/978-1-4939-6925-8_7.
- [72] Kumar A., R.R. Kumar, B.D. Sharma, P. Gokulakrishnan, S.K. Mendiratta, D. Sharma. 2015. „Identification of species origin of meat and meat products on the DNA basis: a review”. *Critical Reviews in Food Science and Nutrition* 55 (10) : 1340-1351. DOI:10.1080/10408398.2012.693978.
- [73] Kumar D., S.P. Singh, N.S. Karabasanavar, R. Singh, V. Umapathi. 2014. „Authentication of beef, carabeef, chevon, mutton and pork by a PCR-RFLP assay of mitochondrial cytb gene”. *Journal of Food Science and Technology* 51 (11) : 3458-3463. DOI:10.1007/s13197-012-0864-z.

- [74] Kunz M.R., J. Ottaway, J.H. Kalivas, C.A. Georgiou, G.A. Mousdis. 2011. „Updating a synchronous fluorescence spectroscopic virgin olive oil adulteration calibration to a new geographical region”. *Journal of Agricultural and Food Chemistry* 59 (4) : 1051-1057. DOI:10.1021/jf1038053.
- [75] Kuo T.H., M.S. Kuei, Y. Hsiao, H.H. Chung, C.C. Hsu, H.J. Chen. 2019. „Matrix-Assisted Laser Desorption/Ionization Mass Spectrometry typings of edible oils through spectral networking of triacylglycerol fingerprints”. *ACS Omega* 4 (13) : 15734-15741. DOI:10.1021/acsomega.9b02433.
- [76] Kvasnicka F. 2005. „Capillary electrophoresis in food authenticity”. *Journal of Separation Science* 28 (9-10) : 813-25. DOI:10.1002/jssc.200500054.
- [77] Latorre C.H., R.M. C. Peña, S.G. Martín, J.B. García. 2013. „A fast chemometric procedure based on NIR data for authentication of honey with protected geographical indication”. *Food Chemistry* 141 (4) : 3559-3565. DOI: 10.1016/j.foodchem.2013.06.022.
- [78] Lecrenier M., Q. Ledoux, G. Berben, O. Fumiere, C. Saegerman, V. Baeten P. Veys. 2014. „Determination of the ruminant origin of bone particles using fluorescence in situ hybridization (FISH)”. *Scientific Reports* 4 : 5730. DOI:10.1038/srep05730.
- [79] Lin C.C., L.L. Fung, P.K. Chan, C.M. Lee, K.F. Chow, S.H. Cheng. 2014. „A rapid low-cost high-density DNA-based multi-detection test for routine inspection of meat species”. *Meat Science* 96 (2) : 922-929. DOI:10.1016/j.meatsci.2013.09.001.
- [80] Lin W.F., D.F. Hwang. 2008. „A multiplex PCR assay for species identification of raw and cooked bonito”. *Food Control* 19 (9) : 879-885. DOI: 10.1016/j.foodcont.2007.08.015
- [81] Liu W., X. Wang, J. Tao, B. Xi, M. Xue, W. Sun. 2019. „A Multiplex PCR assay mediated by universal primers for the detection of adulterated meat in muton”. *Journal of Food Protection* 82 (2) : 325-330. DOI:10.4315/0362-028X.JFP-18-302.
- [82] Maddocks S., R. Jenkins. 2017. *Understanding PCR. A practical bench-top guide*. London: Academic Press.
- [83] Mafra I, I.M.P.L.V.O. Ferreira, M.B.P.P. Oliveira. 2008. „Food authentication by PCR-based methods”. *European Food Research and Technology = Zeitschrift für Lebensmittel-untersuchung und -Forschung* 227 (3) : 649-665 DOI:10.1007/s00217-007-0782-x.
- [84] Manning L., J.M. Soon. 2014. „Developing systems to control food adulteration”. *Food Policy* 49, 23-32. DOI:10.1016/j.foodpol.2014.06.005.
- [85] Manso M.A., T.M. Cattaneo, S. Barzaghi, C. Olieman, R. López-Fandiño. 2002. „Determination of vegetal proteins in milk powder by sodium dodecyl sulfate-capillary gel electrophoresis: interlaboratory study”. *Journal of AOAC International* 85 (5) : 1090-1095. DOI:10.1093/jaoac/85.5.1090.
- [86] Martinez I., F.T. Jakobsen. 2004. „Application of proteome analysis to seafood authentication”. *Proteomics* 4 (2) : 347-354. DOI:10.1002/pmic.200300569.
- [87] Mayer H.K. 2005. „Milk species identification in cheese varieties using electrophoretic, chromatographic and PCR techniques”. *International Dairy Journal* 15 (6-9) : 595-604. DOI:10.1016/j.idairyj.2004.10.012.
- [88] Mazzei P., A. Piccolo, M. Brescia, E. Caprio. 2020. „Assessment of geographical origin and production period of royal jelly by NMR metabolomics”. *Chemical and Biological Technologies in Agriculture* 7 : 24. DOI:10.1186/s40538-020-00190-8.
- [89] Mazzeo M.F., B.D. Giulio, G. Guerriero, G. Ciarcia, A. Malorni, G.L. Russo, R.A. Siciliano. 2008. „Fish authentication by MALDI-TOF mass spectrometry”. *Journal of Agricultural and Food Chemistry* 56 (23) : 11071-11076. DOI:10.1021/jf8021783.
- [90] Meza-Márquez O.G., T. Gallardo-Velázquez, G. Osorio-Revilla. 2010. „Application of mid-infrared spectroscopy with multivariate analysis and soft independent modeling of class analogies (SIMCA) for the detection of adulterants in minced beef”. *Meat Science* 86 (2) : 511-519. DOI:10.1016/j.meatsci.2010.05.044.
- [91] Montowska M., E. Pospiech. 2007. „Species identification of meat by electrophoretic methods”. *Acta Scientiarum Polonorum : Technologia Alimentaria* 6 (1) : 5-16.
- [92] Montowska M., E. Pospiech. 2013. „Species-specific expression of various proteins in meat tissue: proteomic analysis of raw and cooked meat and meat products made from beef, pork and selected poultry species”. *Food Chemistry* 136 (3-4) : 1461-1469. DOI:10.1016/j.foodchem.2012.09.072.
- [93] Mossoba M.M., H. Azizian, A.R. Fardin-Kia, S.R. Karunathilaka, J.K.G. Kramer. 2017. „First application of newly developed FT-NIR spectroscopic methodology to predict authenticity of extra virgin olive oil retail products in the USA”. *Lipids* 52 (5) : 443-455. DOI:10.1007/s11745-017-4250-5.
- [94] Murens M. 2003. „Spectrophotometric techniques”. W: *Food authenticity and traceability*. 184-196. Abington” Woodhead Publishing.
- [95] Navarro-Pascual-Ahuir M., M.J. Lerma-García, E.F. Simó-Alfonso, J.M. Herrero-Martínez. 2015. „Rapid differentiation of commercial juices and blends by using sugar profiles obtained by capillary zone electrophoresis with indirect UV detection”. *Journal of Agricultural and Food Chemistry* 63 (10) : 2639-46. DOI: 10.1021/acs.jafc.5b00122.
- [96] Nebola M., G. Borilova, J. Kasalova. 2010. „PCR-RFLP analysis of DNA for the differentiation of fish species in seafood samples”. *Bulletin of the Veterinary Institute in Pulawy* 54 (1) : 49 - 53.
- [97] Nestle. 2016. Food fraud prevention. Vevey: Nestec Ltd. <https://www.nestle.com/sites/default/files/asset-library/documents/library/documents/suppliers/food-fraud-prevention.pdf> (dostęp: 01.2021).
- [98] Netzer K.O. 1999. „Hybridization methods (Southern and Northern Blotting)”. W: *Techniques in molecular medicine. Springer lab manual*. 126-147. Berlin, Heidelberg: Springer. DOI:10.1007/978-3-642-59811-1_10.
- [99] Nicholas M.W., K. Nelson. 2013. „North, south, or east? Blotting techniques”. *The Journal of Investigative Dermatology* 133 (7) : e10. DOI:.org/10.1038/jid.2013.216.
- [100] Nicolaou N., Y. Xu, R. Goodacre. 2011. „MALDI-MS and multivariate analysis for the detection and quantification of different milk species”. *Analytical and Bioanalytical Chemistry* 399 10 : 3491-3502. DOI: 10.1007/s00216-011-4728-6.
- [101] Nöhle U. 2017 *Food fraud—Lebensmittelbetrug in Zeiten der Globalisierung*. Hamburg: Behr’s Verlag,

- [102] Nollet L.M.L. 2020. „MALDI-TOF-MS analysis of foods”. W *Proteomics for food authentication*. 94-101. Boca Raton: CRC Press.
- [103] Núñez O., P. Lucci. 2020. „Application of liquid chromatography in food analysis”. *Foods* 9 (9) : 1277. DOI: 10.3390/foods9091277.
- [104] Ortea I., B. Cañas, P. Calo-Mata, J. Barros-Velázquez, J.M. Gallardo. 2010. „Identification of commercial prawn and shrimp species of food interest by native isoelectric focusing”. *Food Chemistry* 121 (2) : 569-574. DOI:10.1016/j.foodchem.2009.12.049.
- [105] Panosyan A.G., G. Mamikonyan, M. Torosyan, A. Abramyan, A. Oganesyanyan, E.S. Gabrielyan, A. Grigoryants, S. Mkhitarian, B.V. Lapin. 2002. „Determination of phenolic aldehydes in cognacs and wines by capillary electrophoresis: New cognac quality markers”. *Journal of Analytical Chemistry* 57 (4) : 356-361. DOI: 10.1023/A:1014914701477.
- [106] Pecchioni N., P. Faccioli, A.M. Stanca, V. Terzi. 1996. „Molecular markers for genotype identification in small grain cereals. Molecular markers for genotype identification in small grain cereals”. *Journal of Genetics & Breeding* 50 (3) : 203-219.
- [107] Piasentier E., R. Valusso, F. Camin, G. Versini, 2003. „Stable isotope ratio analysis for authentication of lamb meat”. *Meat Science* 64 (3) : 239-247. DOI: 10.1016/S0309-1740(02)00183-3.
- [108] Pineiro C., J. Barros-Velazquez, R.I. Perez-Martin, I. Martinez, T. Jacobsen, H. Rehbein, R. Kundiger, R. Mendes, M. Etienne, M. Jerome, A. Craig, I.M. Mackie, F. Jessen. 1999. „Development of sodium dodecyl sulfate- polyacrylamide gel electrophoresis reference method for the analysis and identification of fish species in raw and heat-processed samples: A collaborative study”. *Electrophoresis* 20: 1425-1432.
- [109] Pizzano R., E. Salimei. 2014. „Isoelectric focusing and ELISA for detecting adulteration of donkey milk with cow milk”. *Journal of Agricultural and Food Chemistry* 62 (25) : 5853-5858. DOI:10.1021/jf5025533.
- [110] Przetaczek-Rożnowska I., M. Rosiak. 2011. „Wykrywanie zafałszowań żywności”. *Przemysł Spożywczy* 2 (65) : 20-24.
- [111] Rahmati S., N.M. Julkapli, W.A. Yehye, W.J. Basirun, 2016. „Identification of meat origin in food products-A review”. *Food Control* 68 : 379-390. DOI:10.1016/j.foodcont.2016.04.013.
- [112] Rasmussen Hellberg, R.S., M.T. Morrissey, R.H. Hanner. 2010. „A multiplex PCR method for the identification of commercially important salmon and trout species (*Oncorhynchus* and *Salmo*) in North America”. *Journal of Food Science* 75 (7) : C595-C606. DOI:10.1111/j.1750-3841.2010.01752.x
- [113] Resetar D., M. Marchetti-Deschmann, G. Allmaier, J.P. Katalinic, S. Kraljevic. 2016. „Matrix assisted laser desorption ionization mass spectrometry linear time-of-flight method for white wine fingerprinting and classification”. *Food Control* 64 : 157-164. DOI:10.1016/j.foodcont.2015.12.035.
- [114] Robson, K., M. Dean, S. Haughey, C. Elliott. 2021. „A comprehensive review of food fraud terminologies and food fraud mitigation guides” *Food Control* 120 : 107516 DOI: 10.1016/j.foodcont.2020.107516.
- [115] Röder M., W. Weber. 2016. „Allergenanalytik”. *Bundesgesundheitsblatt-Gesundheitsforschung-Gesundheitsschutz* 59 (7) : 889-899. DOI:10.1007/s00103-016-2370-3.
- [116] Rossmann A. 2001. „Determination of stable isotope ratios in food analysis”. *Food Reviews International* 17 (3) : 347-381, DOI: 10.1081/FRI-100104704
- [117] Rozporządzenie (WE) nr 178/2002 Parlamentu Europejskiego i Rady z dnia 28 stycznia 2002 r. ustanawiające ogólne zasady i wymagania prawa żywnościowego, powołujące Europejski Urząd ds. Bezpieczeństwa Żywności oraz ustanawiające procedury w zakresie bezpieczeństwa żywności.
- [118] Różycki M., E. Chmurzyńska, E. Bilska-Zajac, J. Karamon, T. Cencek. 2018. „Isoelectric focusing of proteins in the pH gradient as a tool for identification of species origin of raw meat”. *Journal of Veterinary Research* 62 (2) : 151-159. DOI:10.2478/jvetres-2018-0024.
- [119] Sajali N., S.C. Wong, S. Abu Bakar, N.F. Khairil Mokhtar, Y.N. Manaf, M.H. Yuswan, M.N. Mohd Desa. 2020. „Analytical approaches of meat authentication in food”. *International Journal of Food Science and Technology*. (in press) DOI: 10.1111/ijfs.14797
- [120] Salihah N.T., M.M. Hossain, H. Lubis, M.U. Ahmed. 2016. „Trends and advances in food analysis by real-time polymerase chain reaction”. *Journal of Food Science and Technology* 53 (5) : 2196-2209. DOI:10.1007/s13197-016-2205-0
- [121] Santoro V., F. Dal Bello, R. Aigotti, D. Gastaldi, F. Romaniello, E. Forte, M. Magni, C. Baiocchi, C. Medana. 2018. „Characterization and determination of interesterification markers (triacylglycerol regioisomers) in confectionery oils by liquid chromatography-mass spectrometry”. *Foods* 7 : 23. DOI: 10.3390/foods7020023.
- [122] Sassi M., S. Arena, A. Scaloni. 2015. „MALDI-TOF-MS platform for integrated proteomic and peptidomic profiling of milk samples allows rapid detection of food adulterations”. *Journal of Agricultural and Food Chemistry* 63 : 6157-6171. DOI: 10.1021/acs.jafc.5b02384.
- [123] Sawicki W. 2016. Techniki molekularne w analizie zafałszowań żywności. Wydawnictwo Uczelniane Zachodniopomorskiego Uniwersytetu Technologicznego w Szczecinie.
- [124] Sawicki W. 2017. „Autentyczność jako wyznacznik bezpieczeństwa żywności”. W *Żywność dla przyszłości*. 475-482. Wydawnictwo Uniwersytetu Przyrodniczego we Wrocławiu.
- [125] Sawicki W. 2017. „Identification of horse meat in food products in the Polish market”. *Towaroznawcze Problemy Jakości* 51 (2) : 58-66. DOI: 10.19202/j.cs.2017.02.05.
- [126] Sawicki W. 2009. „Techniki molekularne w identyfikacji zafałszowań żywności”. *Przemysł Spożywczy* 63 (4) : 28-31.
- [127] Sawicki W., A. Lepczyński, M. Ożgo, A. Roszkiewicz. 2020. „Ocena zastosowania spektrometrii mas MALDI-ToF-MS do identyfikacji autentyczności dorsza bałtyckiego (*Gadus morhua callarias*) i dorsza czarnego (*Pollachius virens*)”. W *Środowiskowe i genetyczne uwarunkowania zdrowia ludzi i zwierząt*, 121-136. Wydawnictwo Uczelniane Zachodniopomorskiego Uniwersytetu Technologicznego w Szczecinie.
- [128] Sawicki W., A. Żych. 2019. „Metoda PCR w ocenie zafałszowań składu surowcowego produktów mięsnych ze strusia (*Struthio camelus*)”. *Żywność. Nauka. Technologia. Jakość* 2 (119) : 32-42, DOI: 10.15193/zntj/2019/119/283.

- [129] Sawicki W., D. Klein. 2011. „Sea fish and shellfish authentication issues”. W *Environmental effects on seafood availability, safety and quality*, 275-294. Boca Raton: CRC Press, Taylor&Francis Group.
- [130] Sawicki W., E. Dackowska-Kozon, B. Kwiatkowska, W. Dabrowski, H. Herring. 2010. „Identyfikacja różnych gatunków ryb i bezkręgowców morskich technikami biologii molekularnej”. *Medycyna Weterynaryjna* 66 (3) : 182-187.
- [131] Sawicki W., J. Żochowska-Kujawska. 2016. „Detection of meat adulteration in veal sausages using a multiplex PCR technique”. *Biotechnology and Food Science* 80 (1) : 19-27.
- [132] Schnepf A., M. Kolb, A. Seubert, M. Läubli. 2020. *Monograph: practical ion chromatography*. Herisau: Metrohm.
- [133] Sentandreu M.Á., E. Sentandreu. 2014. „Authenticity of meat products: Tools against fraud”. *Food Research International* 60, 19-29. DOI: 10.1016/j.foodres.2014.03.030.
- [134] Sharma G.M. 2012. „Immunoreactivity and detection of wheat proteins by commercial ELISA kits”. *Journal of AOAC International* 95 (2) : 364-371. DOI:10.5740/jaoacint.sge_sharma.
- [135] Shen C.H. 2019. „Amplification of nucleic acids”. W *Diagnostic Molecular Biology*. 215-247. London: Academic Press. DOI:10.1016/B978-0-12-802823-0.00009-2.
- [136] Spinola V., J. Pinto, P.C. Castilho. 2015. „Identification and quantification of phenolic compounds of selected fruits from Madeira Island by HPLC-DAD-ESI-MS(n) and screening for their antioxidant activity”. *Food Chemistry* 173 : 14-30. DOI: 10.1016/j.foodchem.2014.09.163.
- [137] Spychaj A., P.E. Mozdziak, E. Pospiech. 2009. „PCR methods in meat species identification as a tool for the verification of regional and traditional meat products”. *Acta Scientiarum Polonorum Technologia Alimentaria* 8 (2) : 5-20.
- [138] Stepnowski P., E. Synak, B. Szafranek, Z. Kaczyński. 2010. *Techniki separacyjne*. Wydawnictwo Uniwersytetu Gdańskiego.
- [139] Stoyanov A. 2012. „IEF-based multidimensional applications in proteomics: toward higher resolution”. *Electrophoresis* 33 (22) : 3281-3290. DOI:10.1002/elps.201200221
- [140] Stój A. 2011. „Metody wykrywania zafałszowań win”. *Żywność. Nauka. Technologia. Jakość* 75 (2) : 17-26.
- [141] Straadt I.K., M.D. Aaslyng, H.C. Bertram. 2011. „Assessment of meat quality by NMR – an investigation of pork products originating from different breeds”. *Magnetic Resonance in Chemistry* 49 (supp S1) : S71-S78. DOI: 10.1002/mrc.2805.
- [142] Su W.H., H.J. He, D.W. Sun. 2017. „Non-Destructive and rapid evaluation of staple foods quality by using spectroscopic techniques: a review”. *Critical Reviews in Food Science and Nutrition* 57 (5) : 1039-1051. DOI: 10.1080/10408398.2015.1082966.
- [143] Suhaj M., M. Koreňovská. 2008. „Study of some European cheeses geographical traceability by pattern recognition analysis of multielemental data”. *European Food Research and Technology* 227 : 1419-1427 DOI: 10.1007/s00217-008-0861-7
- [144] Sujka J., M. Reder, P. Koczon. 2012. „Zastosowanie spektroskopii FT-IR do identyfikacji wybranych napojów spirytusowych”. *Bromatologia i Chemia Toksykologiczna* 45 3 : 383-389.
- [145] Sun S., B. Guo, Y. Wei. 2016. „Origin assignment by multi-element stable isotopes of lamb tissues”. *Food Chemistry* 213 : 675-681. DOI: 10.1016/j.foodchem.2016.07.013.
- [146] Surzycki S. 2000. „Nucleic acid hybridization. a theoretical consideration”. W *Basic techniques in molecular biology. Springer lab manuals*. 221-232. Berlin, Heidelberg: Springer. DOI:10.1007/978-3-642-56968-5_10.
- [147] Suto M., H. Kawashima. 2019. „Compound specific carbon isotope analysis in sake by LC/IRMS and brewers' alcohol proportion”. *Scientific Reports* 9 (1) :17635. DOI: 10.1038/s41598-019-54162-6.
- [148] Tepedino V., A. Berrini, V. Borromeo, D. Gaggioli, C. Cantoni, P. Manzoni, Secchi C. 2001. „Identification of commercial fish species belonging to the orders pleuronectiformes and gadiformes: library of isoelectric focusing patterns”. *Journal of AOAC International* 84 (5) : 1600-1607.
- [149] Thienes C.P., J. Masiri, L.A. Benoit, B. Barrios-Lopez, S.A. Samuel, R.A. Krebs, M. Samadpour. 2019. „Quantitative detection of beef contamination in cooked meat products by ELISA”. *Journal of AOAC International* 102 : 898-902. DOI:10.5740/jaoacint.18-0193.
- [150] Trimboli F., N. Costanzo, V. Lopreiato, C. Ceniti, V.M. Morittu, A. Spina, D. Britti. 2019. „Detection of buffalo milk adulteration with cow milk by capillary electrophoresis analysis”. *Journal of Dairy Science* 102 (7) : 5962-5970. DOI: 10.3168/jds.2018-16194
- [151] Truonghuynh, H.T., G.B. Li, G.K. Jaganathan. 2020. „Isotope analysis as a means of tracing aquatic products authenticity, source and geographic origins”. *Italian Journal of Food Science* 32 (3) : 517-527. DOI: 10.14674/IJFS-1778.
- [152] Ulrich S., P.M. Beindorf, B. Biermaier, K. Schwaiger, M. Gareis, C. Gottschalk. 2017. „A novel approach for the determination of freshness and identity of trouts by MALDI-TOF mass spectrometry”. *Food Control* 80 : 281-289, DOI: 10.1016/j.foodcont.2017.05.005.
- [153] Valenzuela M.A., N. Gamarra, L. Gómez, A.M. Kettlun, M. Sardón, L. Pérez, M.J. Vinagre, N.A. Guzman. 1999. „A comparative study of fish species identification by gel isoelectrofocusing two-dimensional gel electrophoresis, and capillary zone electrophoresis”. *Journal of Capillary Electrophoresis and Microchip Technology* 6 (3-4) : 85-91.
- [154] Vallejo-Cordoba B, A.F. González-Córdova. 2010. „Capillary electrophoresis for the analysis of contaminants in emerging food safety issues and food traceability”. *Electrophoresis* 1 (13) : 2154-64. DOI: 10.1002/elps.200900777.
- [155] Vallejo-Cordoba B., A.F. González-Córdova, M.A. Mazorra-Manzano, R. Rodríguez-Ramírez. 2005. „Capillary electrophoresis for the analysis of meat authenticity”. *Journal of Separation Science* 28 (9-10) : 826-36. DOI: 10.1002/jssc.200500013.
- [156] Vaňha J., A. Hinková, M. Sluková, F. Kvasnička. 2009. „Detection of plant raw materials in meat products by HPLC”. *Czech Journal of Food Sciences* 27 (4) : 234-239. DOI:10.17221/205/2008-CJFS
- [157] Vinci G., R. Preti, A. Tieri, S. Vieri. 2013. „Authenticity and quality of animal origin food investigated by stable-isotope ratio analysis”. *Journal of the Science of Food and Agriculture* 93 (3) :439-48. DOI: 10.1002/jsfa.5970.
- [158] von Büren M., M. Stadler, J. Lüthy. 2001. „Detection of wheat adulteration of spelt flour and products by PCR”. *European Food Research and Technology* 212 : 234-239. DOI:10.1007/s002170000230.

- [159] Wang J., M.M. Kliks, W. Qu, S. Jun, G. Shi, Q.X. Li. 2009. „Rapid determination of the geographical origin of honey based on protein fingerprinting and barcoding using MALDI TOF MS”. *Journal of Agricultural and Food Chemistry* 57 (21) : 10081-10088. DOI:10.1021/jf902286p.
- [160] Wang J., Q.X. Li. 2011. „Chemical composition, characterization, and differentiation of honey botanical and geographical origins”. *Advances in Food and Nutrition Research* 62 : 89-137. DOI:10.1016/B978-0-12-385989-1.00003-X.
- [161] Wasinski B., J. Osek. 2013. „Nowoczesne metody badania składu gatunkowego mięsa i produktów mięsnych”. *Medycyna Weterynaryjna* 69 (6) : 348-352.
- [162] Weng S., B. Guo, P. Tang, X. Yin, F. Pan, J. Zhao, L. Huang, D. Zhang. 2020. „Rapid detection of adulteration of minced beef using Vis/NIR reflectance spectroscopy with multivariate methods”. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy* 230 : 118005. DOI: 10.1016/j.saa.2019.118005.
- [163] Winkler-Moser J.K., M. Singh, K.A. Rennick, E.L. Bakota, G. Jham, S.X. Liu, S.F. Vaughn. 2015. „Detection of corn adulteration in brazilian coffee (*Coffea arabica*) by tocopherol profiling and near-infrared (NIR) spectroscopy”. *Journal of Agricultural and Food Chemistry* 63 (49) : 10662-10668. DOI: 10.1021/acs.jafc.5b04777.
- [164] Wisniewski A., A. Buschulte. 2019. „How to tackle food fraud in official food control authorities in Germany”. *Journal of Consumer Protection and Food Safety* 14 : 319-328, DOI: 10.1007/s00003-019-01228-2.
- [165] Wójcicki K. 2015. „Application of NIR spectroscopy for whisky identification and determination the content of ethanol”. W: *Current Trends in Commodity Science: New Trends in Food Quality, Packaging and Consumer Behavior*. 69-80. Wydawnictwo Uniwersytetu Ekonomicznego w Poznaniu.
- [166] Yao L., J. Lu, M. Qu, Y. Jiang, F. Li, Y. Guo, L. Wang, Y. Zhai. 2020. „Methodology and application of PCR-RFLP for species identification in tuna sashimi”. *Food Science and Nutrition* 8 (7) : 3138-3146. DOI:10.1002/fsn3.1552.
- [167] Yeong T.J., K. Pin Jern, L.K. Yao, M.A. Hannan, S.T.G. Hoon. 2019. „Applications of photonics in agriculture sector: a review”. *Molecules* 24 (10) : 2025. DOI:10.3390/molecules24102025.
- [168] Zafra-Gomez A., A. Garballo, L.E. Garcia-Ayuso, J.C. Morales. 2010. „Improved sample treatment and chromatographic method for the determination of isoflavones in supplemented foods”. *Food Chemistry* 123 (3) : 872-877. DOI:10.1016/j.foodchem.2010.05.009.
- [169] Zheng X., Y. Li, W. Wei, Y. Peng. 2019. „Detection of adulteration with duck meat in minced lamb meat by using visible near-infrared hyperspectral imaging”. *Meat Science* 149 : 55-62. DOI:10.1016/j.meatsci.2018.11.005.